

Technical sheet

FIRA low cut outdoor shoes black



Product code: 4005-60



upper	breathable, abrasion-resistant textile
lining	without lining
inner insole	HI-POLY - anatomically shaped, lightweight polyurethane foam coated with fabric MESH, antistatic
outsole	EVA/RUBBER - glued construction
size	36 - 47
usability	shoes suitable for daily wear and outdoor activities
version	black colour

Properties

PL Ochrana proti prop. - nekovové vložky PL	No
PS Ochrana proti prop. - nekovové vložky PS	No
SR Odol. proti uklouz. na keram. podlaze s glyc.	No
WPA Průnik a absorpce vody (svršek)	No
HRO Resist. of the outsole against contact heat	No
WR Water resistant	No
WRU Water resistant upper	No
CI Insulation against cold	No
HI Insulation of the outsole against heat	No
FO Resist. of the outsole against fuel oils	No
P Midsole penetration protection	No
E Energy absorption in the heel area	No
M Instep protection	No
A Antistatic properties	No
AN Ankle protection	No
CR Cut resistant upper	No
SRA Antislip prop. on ceramic tile with SLS	No
SRB Antislip prop. on smooth steel with glycerol	No
SRC Antislip resistance SRA + SRB	No
Free-tex Membrane	No
Michelin Michelin® sole	No
BOA BOA Fit System	No
NON-METALIC Footwear without metal parts	No
ESD antistatic properties ESD	No
Winter Winter footwear	No
ANTICUT Anti-cut boots	No

Logistics parameters

Velikost	Net weight	Gross weight	Sales box - width	Sales box - length	Sales box - height	Group packaging - width	Group packaging - length	Group packaging - height	Group packaging - weight	Délka stélky
36	0,37 kg	0,63 kg	210 mm	305 mm	110 mm	430 mm	585 mm	325 mm	7,80 kg	240,0 mm
37	0,38 kg	0,64 kg	210 mm	305 mm	110 mm	430 mm	585 mm	325 mm	7,90 kg	247,0 mm
38	0,39 kg	0,66 kg	210 mm	305 mm	110 mm	430 mm	585 mm	325 mm	8,00 kg	253,0 mm
39	0,41 kg	0,67 kg	210 mm	305 mm	110 mm	430 mm	585 mm	325 mm	8,10 kg	260,0 mm
40	0,43 kg	0,70 kg	210 mm	305 mm	110 mm	430 mm	585 mm	325 mm	8,20 kg	267,0 mm
41	0,45 kg	0,74 kg	210 mm	320 mm	115 mm	450 mm	615 mm	345 mm	8,80 kg	273,0 mm
42	0,47 kg	0,76 kg	210 mm	320 mm	115 mm	450 mm	615 mm	345 mm	9,00 kg	280,0 mm
43	0,48 kg	0,77 kg	210 mm	320 mm	115 mm	450 mm	615 mm	345 mm	9,20 kg	286,0 mm
44	0,51 kg	0,87 kg	230 mm	370 mm	130 mm	490 mm	680 mm	400 mm	10,60 kg	293,0 mm
45	0,53 kg	0,88 kg	230 mm	370 mm	130 mm	490 mm	680 mm	400 mm	10,80 kg	300,0 mm
46	0,54 kg	0,91 kg	230 mm	370 mm	130 mm	490 mm	680 mm	400 mm	11,00 kg	306,0 mm
47	0,57 kg	0,93 kg	230 mm	370 mm	130 mm	490 mm	680 mm	400 mm	11,20 kg	313,0 mm

Business parameters

Tarric	64041990
Country	BD
Weight	0,81 kg
Add Unit	NPR

Add Quantity 1